



Liberty Pro

Exam Chair

17 in low seat height and TruComfort+™ Support Rails for more accurate blood pressure readings



More than

20 million

adults experience mobility limitations.¹

LibertyPRO™ Exam Chair accommodates

95%

of wheelchair users who can independently transfer.¹



- Improper arm position led to overestimated systolic
 BP by 6.5 mm Hg and diastolic BP by 4.4 mm Hg.²
- > The American Heart Association recommends an arm position supported at heart height. The TruComfort+™ Support Rails aid improved diagnostic accuracy and help ensure every patient interaction starts with reliable vitals.²



INTRODUCING THE

LibertyPRO™ Exam Chair with TruComfort+™ Support Rails

The LibertyPRO™ Exam Chair from UMF Medical is a high-performance, ADA-compliant solution designed for accessible, dignified care. With a low 17-inch seat height, manual or power back options, and TruComfort+™ Support Rails for more accurate blood pressure readings, LibertyPRO™ helps facilities deliver more equitable care while protecting staff and budget.

Sixty percent of exam rooms still rely on fixed-height tables. LibertyPRO™ ensures 95% of wheelchair users who can independently transfer can do so more easily, improving patient access, provider safety, and compliance.¹

Clinical guidelines, including those from the American Heart Association, emphasize that a patient's arm should be fully supported at heart level during blood pressure measurement. Without this support, readings can be skewed, potentially leading to misdiagnosis or mistreatment.²

UMF Medical developed the TruComfort+™ Support Rails to solve this problem, providing integrated, stable arm support to promote proper positioning during vitals collection, including blood pressure readings.

Order the LibertyPRO™ Exam Chair with TruComfort+™ Support Rails to ensure full ADA compliance.



¹"Enforceable Accessible Medical Equipment Standards: A Necessary Means to Address the Health Care Needs of People with Mobility Disabilities," National Council on Disability, May 20, 2021 D'Souza, C. and Steinfeld, E. (2011). DR-23: Analysis of seat height for wheeled mobility devices. Center for Inclusive Design and Environmental Access, IDeA Center, University at Buffalo, Buffalo, NY.

²Liu H, Zhao D, Sabit A, et al. Arm Position and Blood Pressure Readings: The ARMS Crossover Randomized Clinical Trial. JAMA Intern Med. (2024), doi:10.1001/jamainternmed.2024.5213, https://jamanetwork.com/journals/jamainternalmedicine/article-abstract/2824754

Liberty PRO™

		liberty 13th liberty 17		35M-300	Trill 382 100 likentril 322 200 likentri	
Efficiencies	LIBERTY	,173m,100	LIBERTY	.1735M300 LIBERT	4.1735P-100	,38P.200 LIBERTY
Power hi-lo	✓	$oldsymbol{ol}oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{ol}oldsymbol{oldsymbol{ol}}}}}}}}}}}}}}}}$	S	Ø	$oldsymbol{oldsymbol{arphi}}$	8
Power backrest				$oldsymbol{arphi}$	igstar	♥
Manual backrest	igstar	igstyle igytyle igstyle igytyle igstyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	$oldsymbol{oldsymbol{arphi}}$			
Front storage drawer	♥	igstar	$oldsymbol{arnothing}$	$oldsymbol{arnothing}$	igstyle igytyle igstyle igytyle igstyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	♥
Reversible side drawer		igstar	$oldsymbol{oldsymbol{\boxtimes}}$		igstyle igytyle igstyle igytyle igstyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	$oldsymbol{arnothing}$
Stainless steel drain pan	♥	igstar	$oldsymbol{oldsymbol{\boxtimes}}$	$oldsymbol{oldsymbol{arphi}}$	igstyle igytyle igstyle igytyle igstyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	$oldsymbol{arnothing}$
Paper roll holder	igstyle igytyle igstyle igstyle igytyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	igstar	$oldsymbol{oldsymbol{arphi}}$	$oldsymbol{oldsymbol{arphi}}$	igstyle igytyle igstyle igytyle igstyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	$oldsymbol{arSigma}$
Foldaway stirrups	igstar	lacksquare	$oldsymbol{oldsymbol{\boxtimes}}$	$oldsymbol{oldsymbol{arphi}}$	igstyle igytyle igstyle igytyle igstyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	$oldsymbol{arSigma}$
Pelvic tilt 7°	igstar	$leftif{OM}$	$oldsymbol{oldsymbol{arphi}}$	$oldsymbol{oldsymbol{arphi}}$	igstyle igytyle igstyle igytyle igstyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	$oldsymbol{arSigma}$
OneTouch Patient Positioning® foot control	igstar	igstyle igytyle igstyle igytyle igytyle igytyle igytyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	$oldsymbol{arnothing}$	$oldsymbol{oldsymbol{eta}}$	igstyle igytyle igstyle igytyle igstyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	♥
OneTouch Patient Positioning® hand control		lacksquare	$oldsymbol{arnothing}$		$igstar{igstar}$	♥
Drawer warmer			$oldsymbol{oldsymbol{arphi}}$			♥
Infection Prevention						
OneTouch WheelBase® System			$oldsymbol{oldsymbol{\boxtimes}}$			8
Seamless upholstery with PreFixx® Protective Finish	igstar	igstyle igytyle igstyle igstyle igstyle igstyle igytyle igytyle igytyle igytyle igytyle igytyle igstyle igytyle	∀	lacksquare	lacksquare	♥
Easy-clean powder coated enamel surfaces	♥	igstar	$oldsymbol{oldsymbol{\boxtimes}}$	$oldsymbol{arphi}$	lacksquare	$oldsymbol{arphi}$
Accessibility						
650lb (295 kg) patient weight capacity	✓	$oldsymbol{ol}oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{ol}oldsymbol{oldsymbol{oldsymbol{ol}}}}}}}}}}}}}}}}}}$	S	Ø	S	8
ADA Accessible 17" (43.18 cm)	$oldsymbol{arphi}$	igstar	S	$oldsymbol{arphi}$	$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	$oldsymbol{arphi}$
Electrical						
Two hospital grade electrical receptacles		S	S		S	8
UL60601-1 and CAN/CSA-22.2 No. 601.1 classification	∀	igstar	S	$oldsymbol{arphi}$	$oldsymbol{ol}}}}}}}}}}}}}}}}}}$	♥
Quality						
3-year limited warranty	8	S	S	♥	$oldsymbol{arphi}$	♥
Durable galvanized steel construction	⊌′	lacksquare	S	$\boldsymbol{\varnothing}$	$oldsymbol{oldsymbol{eta}}$	♥

Specifications

- > Height: min 17" (43.18 cm) max 35" (88.9 cm) >
- Width: 28" (71.1 cm)
- > Length: 58"-76" (147.3 cm-193 cm) with leg rest extended
- > Leg rest: 18" W x 18" D (45.7 cm W x 45.7 cm D)
- Storage Drawer (Front): 18" W x 12" D x 3" H (45.7 cm x 30.5 cm x 7.6 cm)
- Storage Drawer (Side): 17.5" W x 21" D x 5" H (44.5 cm x 53.3 cm x 12.7 cm)

- Single-column, electro-magnetic actuator
- Electrical: 120 VAC 10.5 AMP / 220 VAC 5.8 AMP, 50-60Hz
- Weight capacity: 650 lbs. (295 kg)
- › Net weight: 350 lbs. (159 kg)
- > Shipping weight: 390 lbs. (177 kg)
- Shipping dimensions: 32" W x 64" L x 31" H (81.2 cm x 162.6 cm x 78.7 cm)

Accessories

- > 251 Bierhoff Knee Crutches (Pair)
- > 252 Locking Knee Crutches (Pair)
- > 587 ADA-compliant TruComfort™ Support Rails
- > 588 ADA-compliant TruComfort+™ Support Rails with blood pressure position
- > 592 Welch Allyn Light Bracket (Patient Left)
- 593 Welch Allyn Light Bracket (Patient Right)



The OneTouch WheelBase® System from UMF Medical

The OneTouch WheelBase® System from UMF Medical makes moving our ProGlide™ Series of products as easy as pushing a pedal. The integrated central-locking wheelbase with an intuitive foot pedal enables staff to move the equipment easily and quickly for cleaning, then lock it solidly into place for exams.





Upholstery & Colors

Our seamless, durable upholstery with PreFixx® Protective Finish is designed for easy cleaning. This helps to reduce the risk of infection in the outpatient setting, especially in vulnerable patient populations, while maintaining the aesthetics of the exam room through our 16 color options.

Colors



